

Where can I start these PlugIns?

Internal PlugIn name	Where connected?	Menu item
cancelWaitingJobs	Administer Publication > Current Jobs	Cancel waiting jobs
collectUserAddresses	Administer Project Structure > Project	Collect mail addresses
deleteJobReports	Administer Publication > Project > Job Reports	Delete job reports
findTemplateElements	Administer Content Classes	Find template elements
resetAllDraftPages	Administer Project Structure > Project	Reset all draft pages
showChildDetails	Administer Project Structure: at every List or Container	Show child details
showPageByGuid	Administer Project Structure	Show page by GUID
showTemplateElementsUsage	Administer Content Classes > Folder: at every content class	Show elements usage
showTemplateGuids	Administer Content Classes: at every folder	Show template GUIDs
showTemplateLanguageVariantDependency	Administer Content Classes > Folder: at every content class	Show LV dependency
showTemplatePreassignmentReference	Administer Content Classes > Folder: at every content class	Preassignment reference
showUsersInGroup	on every authorization package user group on every detailed authorization package user group	Show users of group

What offers these PlugIns?

Internal PlugIn name	Description	Benefit
cancelWaitingJobs	Cancel all waiting publishing jobs in a project	Cancel a lot of waiting publishing jobs to get an important one published.
collectUserAddresses	<ul style="list-style-type: none"> Select one or more projects Build a Set of all users linked to these projects Delivers all e-mail address in User properties separated by ; (Outlook) 	Used to inform authors via normal Outlook e-mail over server outages or changes in project.
deleteJobReports	<ul style="list-style-type: none"> Select the number of days you want to keep the reports Confirm to delete all older job reports 	Opening Job Reports could take minutes, if you have hundreds of them. Plugin can delete job reports before, filtered by number of days.

Internal PlugIn name	Description	Benefit
findTemplateElements	<ul style="list-style-type: none"> • Enter a type of element (content or structure) • Enter an element name (one wildcard allowed) • Plugin searches all content classes if element is contained and display them in a table. 	Often the same template code has to be repeated in several content classes. If a change is needed in such an area, you could use the search for an element within this code to find all content classes you have to adjust.
resetAllDraftPages	<p>Please check before your draft pages in Task, if all could be gone!</p> <ul style="list-style-type: none"> • Plugin did not list draft pages again. • Tell you before how may draft pages are available • Lists afterwards what pages handled • New pages will be deleted and • Changed pages will be undo 	<p>Authors often create pages again and again for some reasons. From my experience they have may pages in Draft which are not needed anymore.</p> <p>If offer this plugin for authors by patching the Tasks dialog and start beside “12 pages in draft”. 1)</p>
showChildDetails	<p>Lists tabular for all children of a List or Container following attributes:</p> <ul style="list-style-type: none"> • Page Id • Page headline • Content class name • Created by user name • Created on date • Last changed by user • Last changed on date • State (draft, released) • Released on date 	Fast overview of many pages to answer support questions faster.
showPageByGuid	<p>Enter a page GUID Displays page ID, page headline and content class name</p>	Useful for RQL developers only.
showTemplateElementsUsage	<p>Tabular list of all elements by name and type Checks every Template Variant of content class if an element</p>	Help to identify not used elements in a content class for deletion.

Internal PlugIn name	Description	Benefit
	<p>is used (element value itself of red dot for this element) within that variant. Plugin displays a matrix and offer a combined column User?. Interpretation is up to the admin! Even an element is not used in any Template Variant, it may be could not deleted.</p>	<p>Gives an overview if elements are missing in a Template Variant.</p>
showTemplateGuids	<p>Tabular list of content classes with columns content class name and GUID.</p>	<p>For RQL developers who needs to refer to a content class in a program by GUID of content class, e.g. for creation.</p>
showTemplateLanguageVariantDependency	<p>Tabular list with following columns:</p> <ul style="list-style-type: none"> • Element name • Element type • One value for all LVs • Different values per LV <p>Marks elements green, if a red dot in Smart Edit is included in Template Variant of display Project Varant. Marks elements in red, where no red dot is found. This is often wrong, because a translator will get this page for work on, but can't.</p>	<p>In project with more than one Language Variant (LV) it helps to decide if a page of a content class will appear in the translation editor's list of pages needing translation. Gives an overview of the language-variant independent checkbox of content elements.</p>
showTemplatePreassignmentReference	<p>Searches all content classes in all folders per default. Let you choose the Template Folder to speed up search as well. Goes through all content classes and checks all List and Container the preassignment definition. Display all found List and Containers in a table with these columns:</p> <ul style="list-style-type: none"> • Content class folder name • Content class name • Element name 	<p>Backward functionality of Preassign Content class on a List or Container. For the selected content class it shows, where it is preassigned. Helps to make the preassignment definitions consistent in a project.</p>
showUsersInGroup	<p>Tabular list of</p> <ul style="list-style-type: none"> • user name 	<p>Helps to analyses authorization setup in Smart Tree. Authorisation is mostly</p>

Internal PlugIn name	Description	Benefit
	<ul style="list-style-type: none"> • full name • e-mail address (with link to author) • description 	done via User Groups. This PlugIn displays all Users of a group directly, no need to switch to Server Manager.

1) Reset all draft pages in Tasks:

Pages saved as draft:

Your unfinished pages waiting for completion.

 Deutsch

 **15 Edit Pages**

Reset all draft pages